The scale **Journal Website:** https://thescalejournal.com.ng/
An Interdisciplinary Journal of **https://doi.org/10.5281/zenodo.20279153**
The ACADEMIC STAFF UNION OF POLYTECHNICS - ZONE D
ISSN: 2992-3727 Published 30th May, 2026

INTEGRATION OF SUPERCONDUCTING CABLES WITH RENEWABLE ENERGY SYSTEMS FOR EFFICIENT POWER TRANSMISSION

S.O. Ikheloa [1]; C. I. Oviawe [2]
[1] Principal lecturer, Electrical technology department, NICTM, uromi
[2] PRINCIPAL Lecturer, Mechanical Engineering Dept, Edo State Polytechnic, Usen.
[1] 08100007097, steveikheloa@gmail.com
[2] 08162691127, iyekowa@yahoo.co.uk

Abstract
The rapid expansion of renewable energy generation has increased the demand for efficient and reliable power transmission systems. Conventional transmission lines experience significant power losses due to resistive heating, which reduces overall grid efficiency. Superconducting power transmission technology offers a promising alternative due to its near-zero electrical resistance and high current carrying capability.
This paper investigates the integration of superconducting transmission cables with renewable energy systems to improve power delivery efficiency and grid reliability. A simulation model developed using MATLAB/Simulink is used to analyze system performance. The proposed system consists of a renewable energy generation source, power conditioning unit, superconducting transmission cable, monitoring subsystem, and load network.
Simulation results compare the performance of conventional copper transmission lines with superconducting cables in terms of power loss and transmission efficiency. Results demonstrate that superconducting cables significantly reduce resistive losses and enhance overall transmission efficiency. The findings suggest that superconducting transmission technology can play a key role in the development of modern smart grids and renewable-integrated power networks.

Keywords: Superconducting cables, renewable energy integration, power transmission, smart grid, power, loss analysis.

Introduction

The global demand for electrical energy continues to grow rapidly due to industrial development, population growth, and technological advancement. At the same time, there is an increasing transition toward renewable energy sources such as solar and wind.
Traditional transmission systems rely on copper or aluminum conductors which suffer from resistive losses. These losses increase with transmission distance and current flow.
Superconducting cables offer a promising alternative because they exhibit nearly zero electrical resistance when cooled below their critical temperature. This allows extremely efficient power transmission and significantly reduces transmission losses.

Literature Review

Recent developments in power engineering have increasingly highlighted the relevance of superconducting technologies in modern transmission networks. High-temperature superconducting (HTS) cables, in particular, have attracted significant attention due to their ability to minimize resistive losses and enhance overall grid performance (Malozemoff et al., 2022; Noe & Steurer, 2023). Unlike conventional conductors, these systems offer improved efficiency, especially in high-demand transmission environments.

In practical applications, HTS cables have been considered suitable for underground installations and densely populated urban areas where space constraints and thermal limitations are critical factors. Their high current-carrying capacity and compact design make them a viable alternative to traditional copper-based systems (Tixador, 2022; Hull, 2021). In addition, the integration of superconducting fault current limiters has been explored as a means of improving grid protection and enhancing system stability during fault conditions (Schmidt et al., 2023).

Field demonstrations and pilot installations across different regions have further validated the feasibility of superconducting transmission technologies. These projects have shown that integrating HTS cables with renewable energy sources can lead to improved transmission reliability and reduced operational losses (Kim et al., 2023; Wang et al., 2024).

More recent studies have also focused on addressing practical deployment challenges, particularly in the areas of cryogenic cooling and material durability. Advances in cooling technologies and superconducting material design are gradually improving system reliability and making large-scale implementation more realistic (Zhang et al., 2024; Larbalestier et al., 2022).

Problem Statement

Conventional power transmission systems experience significant energy losses due to conductor resistance. These losses increase with current flow and transmission distance.

As renewable energy generation increases, efficient long-distance power transmission becomes essential. Superconducting cables offer a potential solution due to their near-zero resistance.

Methodology

A simulation-based approach using MATLAB/Simulink was adopted to evaluate the performance of superconducting transmission systems.

The simulation model consists of:

Renewable energy generation source

Power converter subsystem

Superconducting transmission cable

Monitoring subsystem

Electrical load

Transmission losses are calculated using:

P_{loss} = I^2R

Because superconducting materials have extremely low resistance, transmission losses are significantly reduced.

The scale Journal Website: https://thescalejournal.com.ng/
An Interdisciplinary Journal of https://doi.org/10.5281/zenodo.20279153
The ACADEMIC STAFF UNION OF POLYTECHNICS - ZONE D
ISSN: 2992-3727 Published 30th May, 2026

MATLAB/Simulink Model of the Transmission System




Figure 1: MATLAB/Simulink model of the renewable-integrated superconducting transmission system.

The model represents a renewable energy generator connected to a converter stage and a superconducting transmission cable delivering power to the load.

Simulation Results


Simulation was carried out to compare:


Conventional copper transmission system

Superconducting transmission system

The results show that superconducting cables significantly reduce power losses and improve transmission efficiency.

Power Loss Comparison





The scale Journal Website: https://thescalejournal.com.ng/
An Interdisciplinary Journal of https://doi.org/10.5281/zenodo.20279153
The ACADEMIC STAFF UNION OF POLYTECHNICS - ZONE D
ISSN: 2992-3727 Published 30th May, 2026




Figure 2: Power loss comparison between copper transmission cable and superconducting cable.

The graph shows that copper conductors experience increasing losses due to resistive heating, whereas superconducting cables maintain extremely low losses.

Fault Current Waveform Analysis




Figure 3: Fault current waveform obtained from MATLAB simulation.

The waveform illustrates the transient current behavior during a short-circuit fault condition. Superconducting transmission systems demonstrate improved current stability and reduced thermal losses during fault conditions.

Transmission Efficiency Comparison




Figure 4: Transmission efficiency comparison between conventional copper transmission and superconducting transmission.

The graph shows that superconducting transmission achieves significantly higher efficiency due to minimal electrical resistance.

Discussion

The simulation results clearly highlight the advantages of superconducting transmission systems over conventional conductors. The near-zero electrical resistance of superconducting materials leads to a substantial reduction in power losses, particularly under high current conditions. This advantage becomes increasingly significant as transmission distance increases. However, despite these benefits, practical implementation is still constrained by the requirement for reliable cryogenic cooling systems. Addressing this limitation will be essential for large-scale deployment of superconducting technologies in modern power networks.

Conclusion

This study investigated superconducting transmission cables integrated with renewable energy systems using MATLAB/Simulink simulation.

Results demonstrate that superconducting cables significantly reduce power losses and improve overall transmission efficiency compared with conventional conductors.

Superconducting technology therefore represents a promising solution for future smart grid infrastructures and renewable-integrated power networks.

References

[1] A. P. Malozemoff et al., “High-temperature superconducting power cables,” IEEE Trans. Appl. Supercond., vol. 32, no. 5, pp. 1–8, 2022.

[2] M. Noe and M. Steurer, “High-temperature superconductors for power applications,” Nature Materials, vol. 23, pp. 45–53, 2023.

[3] P. Tixador, “Superconducting power cables: Status and prospects,” Cryogenics, vol. 122, 2022.

[4] J. R. Hull, "Superconducting power technologies," IEEE Power Eng. Rev., vol. 42, no. 3, pp. 25–31, 2021.

[5] F. Schmidt et al., "Superconducting fault current limiters for smart grids," IEEE Trans. Power Del., vol. 38, no. 2, pp. 789–798, 2023.

[6] H. M. Kim et al., "Performance analysis of superconducting transmission systems," Int. J. Electr. Power Energy Syst., vol. 145, 2023.

[7] X. Wang et al., "Integration of superconducting cables in renewable energy systems," Energy Reports, vol. 9, pp. 1120–1130, 2024.

[8] Y. Iwasa, Case Studies in Superconducting Magnets, Springer, 2022.

[9] P. Grant, "Superconductivity and electric power applications," IEEE Trans. Appl. Supercond., vol. 33, no. 4, 2023.

[10] S. S. Kalsi, Applications of High Temperature Superconductors, Wiley, 2021.

[11] D. Larbalestier et al., "High-temperature superconducting materials for grid applications," Nature Reviews Materials, vol. 7, 2022.

[12] M. Tomsic et al., "Overview of HTS cable projects worldwide," IEEE Trans. Power Del., 2022.

[13] R. Gupta et al., "Advances in superconducting materials," Materials Today, 2024.

[14] J. Schwartz, "Superconducting systems for power grids," IEEE Access, 2023.

[15] A. Gurevich, "Limits of superconducting materials," Rev. Mod. Phys., 2022.

[16] Y. Zhang et al., "Cryogenic cooling technologies for superconductors," Energy Convers. Manag., 2024.

[17] L. Martini et al., "Smart grid integration with superconductors," Renewable Energy, 2023.

[18] T. Kiss et al., "Superconducting cables for urban grids," Electric Power Systems Research, 2022.

[19] M. Majoros et al., "HTS cable design improvements," Supercond. Sci. Technol., 2023.

[20] A. Usoskin et al., "Industrial superconducting applications," IEEE Trans. Appl. Supercond., 2024.

[21] B. Dutoit et al., "Cryogenic reliability in HTS systems," Cryogenics, 2023.